

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:GJE-7-155

Eco-evolutionary dynamics of intergenomic epistatic QTLs under slight and hard multilevel selections in community genetics

Published On: June 03, 2022 | Pages: 021 - 034

Author(s): Farshad Fattahi*

Eco-evolutionary community genetics refers to the study of population genetics at multispecies levels since a single species evolves genetically through interactions with other species. The aim of this paper is dynamical modeling of interspecific quantitative trait loci (QTL) under slight and hard multilevel selection to investigate eco-evolutionary genetic relationsh ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/gje.000055](#)

[Open Access](#) [Research Article](#) PTZAID:GJE-7-154

Search for the dispatch schedule optimal configuration for managing releases of the complex “Lake Baikal - Irkutsk Reservoir”

Published On: May 25, 2022 | Pages: 013 - 020

Author(s): Alexander Leonidovich Buber * and Vladimir Buber

The article considers methods for constructing optimal (in the Pareto sense) coordinates of the dispatch schedules for managing releases for the water management complex “Lake Baikal - Irkutsk Reservoir”. Statistical reliability criteria such as the number and depth of violations are used as optimization criteria. The construction of the optimal dispatch schedule is c ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/gje.000054](#)

[Open Access](#) [Research Article](#) PTZAID:GJE-7-153

An ethno-botanical study of medicinal plants in Dilla Zuria Woreda of Gedo Zone, Southern Ethiopia

Published On: May 12, 2022 | Pages: 001 - 012

Author(s): Tadeyos Mesfin* and Wendawek Abebe

The present study was carried out to investigate the diversity and use of medicinal plants, and to document the indigenous knowledge of the local community. The typical ethnobotanical methodologies were applied during the study. Eighty-one informants were selected by the preferential sampling of which 61 were males and 20 were females. The selected individuals were co ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/gje.000053](#)